


Contents

| BMAT - Bedside Mobility Assesment Test iii | Standard Harness | . 16 |
|--|--|------|
| Types of Fabric iii | Seat Strap | |
| Smart Lift™1 | Half Shin Pad | |
| Classic Lift | Anti-Slip Harness | |
| | Wipeable Harness | |
| Smart Stand [™] 3 | Stand Support Strap | |
| Classic Stand4 | Walking Harness | |
| Ceiling Lift5 | Wrist Strap | |
| Universal Ceiling Lift Trolley | Battery and Charger | . 17 |
| Design & Installation6 | Lithium Battery Pack | |
| PPS Glide | IV Pole / Oxygen Tank Holder | |
| | Twin Turner Flexible Shin Pad | |
| Repositioning & Turning Sheet9 | Bariatric FOOTPLATE | |
| Slide Sheets | The EZ Way Safe Patient Handling Evaluation | |
| BreatheDRY ABSORBENT PADS | Battery-Operated Shower Chair | |
| Slide Sheets | | |
| Light Lift11 | Dignity Height Adjustable Reclining Shower Chair . | |
| EZ Out11 | Dignity Reclining Shower Chair | |
| Stand Aid | Dignity Bariatric Shower Chair | . 20 |
| EZ Way Lift & Stand Accessories Checklist 13 | Dignity Classic Commode Chair | . 20 |
| Lift Accessories14 | Dignity Classic Shower Chair | . 20 |
| Belted Mesh Hygiene Sling | 4000/4200 Atlas Bariatric Shower Trolleys | . 21 |
| Mesh Sling | 2000-V21/3000-V21 Show er Trolley | |
| Hourglass Sling | 3200 Shower Trolley | |
| Wipeable Sling | | |
| Standard Deluxe Sling | Comfortline | |
| Mesh Deluxe Sling | Ecoline | . 22 |
| Hip Sling14Disposable Sling14 | 1700 Height-Adjustable Bathtub | . 23 |
| Head Support Option | 900 Height-Adjustable Bathtub | . 23 |
| Full Body Sling With Leg Support | ATLANTIC Reclining Bathing System | . 24 |
| Child's Deluxe Sling | 2810 Shower Panel | |
| Gait Training Sling | VICTORIA Freestanding Bathing System | |
| Lift & Stand Accessories | | |
| Limb Lifting And Turning Straps | ERIE Freestanding Bathing System | |
| Stretcher Sling Kit | WINNIPEG Freestanding Bathing System | . 26 |
| Antimicrobial Fabric | CASPIAN Bariatric Bathing System | . 26 |
| Load Testing Sling | GENEVA Supine Bathing System | . 27 |
| Walker Handles | Mobile Bath Lift System | . 27 |

To see the complete line of products, accessories, and training videos, check out our website.

| BMAT - Bedside Mobility Assesment Test | | | | | | | | | | | | |
|---|---|---|---|--|--|--|--|--|--|--|--|--|
| Level 1 MAX ASSIST (unable to sit/shake) | Level 2 MODERATE ASSIST (unable to extend leg and point/flex toes) | Level 3 MODERATE ASSIST (unable to stand more than count of 5) | Level 4 MINIMAL ASSIST (can march/weight shift) | | | | | | | | | |
| Patient is unable to sit independently or reach across midline. | Patient can sit independently but cannot stand from the seated position. | Patient can stand, but cannot walk without assistance | Patient is modified independent. | | | | | | | | | |
| Patient will need equipment to: | Patient will need equipment to: | Patient will need equipment to: | Patient will need equipment to: | | | | | | | | | |
| Assist in moving patient from surface to surface Including friction reducing devices, dependent lifts and Products that can progress from dependent transfer device to assistive as strength improves. PPS Glide Air-Assisted Transfer Mattress Smart Lift™ Smart Lift™ 1,000 lb. Bariatric Lift Classic Lift Ceiling Lift | Assist them in elevating from the seated position Transfer from surface to surface and Allow weight bearing through the lower extremities. PPS Glide Air-Assisted Transfer Mattress Smart Stand™ Classic Stand Smart Stand™ 800 lb. Bariatric Sit-to-Stand | Stand for more than 5 seconds. Stand with assistance and/ or independently from seated position Progress feet to walk or walk longer distances. Stand Aid PPS Glide Air-Assisted Transfer Mattress Smart Stand™ Classic Stand Smart Stand™ 800 lb. Bariatric Sit-to- Stand | Assistance via a gait belt or or Something similar should patient lose their balance. * No assistance to ambulate. Stand Aid Smart Lift™ Smart Stand™ Classic Stand Classic Lift Roll Board Slide Sheets Repositioning & Turning Sheet | | | | | | | | | |
| | Types o | f Fabric | | | | | | | | | | |
| Spacer | stretch, naturally ventilating pro characteristics to reduce force. | es moisture, allows air flow, and dissipa perties that take moisture away from t Shown in studies to be the most effect sk of pressure ulcer development if lef | the skin, and soft, cushioning trive in reducing peak pressures, | | | | | | | | | |



accessory becomes soiled. It should be disposed of at this time. It cannot be laundered.



The Smart Lift ™ was designed primarily to lift patients from the bed, chair, toilet, and floor. It features a proprietary circuit board system that provides customers with added intelligence and safety features including:

- Backlit LCD screen
- Optional digital scale
- Usage time captured
- Weight overload
- Overload protection
- Weight recall (only on units with optional scale)
- Scan the QR Code on unit with a mobile device for instantaneous "how-to" videos

Smart Lift ™ Applications:

- Transfer patients to/from bed, commode, wheelchair, chair, or from the floor
- Reposition or turn patients in bed using specialty accessories
- Elevate limbs using limb lifting straps









The Bariatric Smart Lift™ is one of the Highest Weight Capacity Mobile Lifts on the Market.

Caster Options

2", 3", 4", and 5" (3" is standard)










Low Profile Base

Available in 500 & 600 lb. Weight Capacities

The optional low base is perfect for beds and stretchers with low clearances.



500 lb. Weight Capacity

The high quality alternative to low cost lifts. The same high production quality you have come to expect from EZ Way.

Features:

- Power leg spreader
- 10-year warranty on frame, 3-year on components
- 500 lb. weight capacity
- Includes 1 battery pack and on-board charging as standard (optional remote battery charger and additional battery available)

Applications:

- The EZ Way Classic lift was designed primarily to lift and transfer patients from the bed, chair, toilet and floor
- Reposition or turn patients in bed using specialty accessories
- Elevate limbs using Limb Lifting Straps

| BMAT | BMAT | BMAT | BMAT |
|-------------|-------------|-------------|-------------|
| 1 | 2 | 3 | 4 |









Power leg spreaderWith the touch of a button, legs can be spread.



Magnetized Hand ControlFor easy placement anywhere on the mast.

OPTIONAL ACCESSORY

Remote Battery Charger

A must have accessory to reduce lift downtime.



SMART STAND™



400, 500, & 800 lb. Weight Capacities

The multi-purpose Smart Stand™ was designed to be used for toileting and changing briefs of patients, transferring the patient from chair, wheelchair, toilet or bed, and can also be used for ambulation. It features a proprietary circuit board system that provides customers with added intelligence and safety features including:

- Backlit LCD screen
- Weight recall (on units with optional scale)
- Usage time captured
- Durable safety tab design
- Overload protection
- Easily-adjustable shin pad
- Weight overload
- Optional digital scale
- Optional flexible shin pad
- Scan the QR Code on unit with a mobile device for instantaneous "how-to" videos











Smart Stand[™] Applications:

- Facilitate toileting, changing briefs, conducting pivot transfers for weight-bearing patients
- Transfer patients to/from bed, commode, wheelchair. or chair
- Patients stand safely and securely, increasing muscle strength and circulation
- Ambulation feature for therapy applications

Caster Options

2", 3", 4", and 5"

3" is standard on models without scale

4" is standard on models with scale







Flexible Shin Pad Option



CLASSIC STAND



400 lb. Weight Capacity

The high quality alternative to low cost stands. The same high production quality you have come to expect from EZ Way.

Features:

- Power leg spreader
- 10-year warranty on frame, 3-year on components
- 400 lb. weight capacity
- Includes 1 battery pack and on-board charging as standard (optional remote battery charger and additional battery available)
- Removeable footplate
- Pliable fabric shin pad provides greater comfort for a variety of skin conditions

Applications:

- The Classic Stand was designed to facilitate toileting, changing of briefs and conducting pivot transfers for weight bearing patients
- Patients allowed to stand safely and securely, increasing muscle strength and circulation
- Can be used for ambulation









Power leg spreader With the touch of a button, legs can be spread.



Magnetized Hand Control for easy placement

anywhere on the mast.

OPTIONAL ACCESSORY

Remote Battery Charger A must have accessory

to reduce lift downtime.



CEILING LIFT



600 lb / 1000 lb. Weight Capacities

A battery-operated patient lift that is mounted in tracks that are installed into the ceiling. The lift is used with a sling or walking harness to transfer the patient along the track.

Special Features:

- Overload protection prevents lifting more than the rated capacity
- Low battery protection
- 4-point spreader bar for maximum patient comfort
- 120 lifts per charge
- On-board intelligence to monitor usage
- Usage time captured great for tracking frequency of use
- Scan the QR Code on unit with a mobile device for instantaneous "how-to" videos

Options


- Continuous charge motor charges anywhere along the track
- Inspection reminder
- Power traverse
- Lithium ion battery available







UNIVERSAL CEILING LIFT TROLLEY



A cost-effective solution to upgrade your ceiling lifts without replacing your existing tracks.

- Replace your aging or broken ceiling lifts with EZ Way motors
- No need to replace your existing track
- Designed to fit a wide range of ceiling lift tracks
- Lower your cost of ownership
- Backed up by the same great service and support that EZ Way is known for
- Weight capacities to match virtually any installation



DESIGN & INSTALLATION

The state of the s

Common county, quarter stores or (Temporal Approximation) and (Temporal Ap

Design Process

The track layout is designed to fit the room using CAD. The purpose of the room is considered when designing the track configuration. Many different options are available to best suit each installation's patient transferring needs.

EZ Way offers an array of services for design professionals when working on projects that include patient lifts. Our project consultants can offer valuable support no matter what stage the project is in. Services offered include:

- Budget development
- Track layout and design assistance
- 3 part specifications
- CAD drawings and 3D models
- Anchorage details and drawings
- Unique solutions for patient room to bathroom transitions

Installation

Track installation is performed by EZ Way's own trained crews, eliminating lower tier subcontractors. Since we are both the manufacturer and installer, we can provide a seamless installation process. The lifts are typically anchored directly to the building structure, eliminating costly cold-formed strut systems. Structural engineers are consulted to determine the best attachment method for the track.



500, 700, & 1000 lb. Weight Capacities

BMAT BMAT BMAT 4

PPS Glide allows two caregivers to laterally transfer a patient safely while reducing the potential for back injury. The core of the system is an inflatable matt that lifts and floats the patient on a cushion of air with very little effort. Caregivers can transfer even very large patients from one surface to another.

Standard Features:

- Air technology lets patients ride comfortably on a cushion of air
- Safety straps secure patients to the transfer mat
- Thermal protection for patient safety
- Available in single-patient use mattress to reduce cross contamination. Will hold up to multiple lateral transfers during a patient stay.
- Complete system conveniently stores in roller tote
- Machine-washable transfer mat and urethane-coated nylon pull handles make cleaning convenient

Optional Features:

- Air Supply System (Blower, hanging clip, power cord, transfer bridge, rolling tote)
- Foldable transfer bridge
- Lightweight blower unit with expandable air hose (8' max)
- Single-patient full and half mattress available



BRIDGEROLLER™



The *BridgeRoller™* is a lightweight, foldable, patient transfer device which aides in the transfer of patients between a variety of surfaces. It is essentially a patient transfer board and a padded slide tube in one.

Lightweight and easy to use, the BridgeRoller's foam core provides maximum patient comfort. Its unique design reduces the risk of injury by minimizing caregiver effort associated with a lateral transfer move.

An anti-bacterial cover and easy to wipe down surface makes disinfecting the BridgeRoller™ between patients simple and safe between patients.

FEATURES

- Lightweight weighs only 6lbs
- Standard size folds in half for easy storage
- Available in 2 sizes
- Fits on length of bed
- SWL 660lbs when used with 6" gap
- Water resistant
- Simple cleaning using surface disinfectant
- Anti-bacterial / fire retardant / anti-static
- Latex-free with ABS handle









BRIDGEROLLER™ STANDARD

• Unfolded: 70"x 22"



BRIDGEROLLER™ SHORT

Unfolded: 60" x 16"



BRIDGEROLLER™ DISPOSABLE PE COVER

- Improve infection control when using the BridgeRoller™
- 79" x 25.5" (51" circumference)

SLIDE SHEETS




The EZ Roller/Tube Slide Sheet is used for lateral transferring or repositioning patients/residents. This friction-reducing, transferring, and repositioning aid is intended for use by two or more caregivers.

- Compact, low friction patient-handling device
- Lateral or "up-in-bed" repositioning
- Lateral transfers
- Made of strong nylon
- Ergonomic handles built in for ease of use
- Available in roller/tube style (large image) or single flat sheet (inset picture)
- Bariatric Tube Sheet available



REPOSITIONING & TURNING SHEET



AVAILABLE MESH, SINGLE PATIENT, AND SPACER FABRIC FOR ADDED COMFORT

The EZ Repositioning and Turning Sheet is designed for repositioning, turning, or laterally transferring a patient/ resident. For use with the Ceiling Lift, Smart Lift™ or Classic Lift, this accessory can be used in conjunction with or as a replacement to a typical bed sheet. 1,000 lb. weight capacity.

- Washable and breathable
- For repositioning, turning, or laterally transferring
- Use with the Classic Lift, Smart Lift™ or Ceiling Lift
- Available in mesh, disposable, cotton and spacer fabric, clinically proven to reduce the risk of pressure ulcers





SLIDE MATE SLIDE SHEETS




The SlideMate single-patient use slide sheets were designed to not only be effective and easy to use, but to provide a system and process of having it there when you need it. Our three tube sizes work for 99% of your patients..

- Latex-free/ radiolucent/ anti-static
- Lateral or "up-in-bed" repositioning
- Lateral transfers
- Extremely durable silicon-coated woven tube
- Single-patient use, or reusable
- Recyclable
- Available in three sizes: Original, Pocket, & Bari



BreatheDRY ABSORBENT PADS



The BreatheDRY Absorbent Breathable Underpads are a white, soft flat sheet with an absorbent layer and a waterproof breathable underside that stops fluid from getting through to the surface below and wicks away moisture to protect the patient's skin. Designed to be breathable, manage climate control, and preserve skin integrity.

- Moisture management
- High level fluid handling capacity
- Breathable backing
- Reduce cleaning costs
- Protects bedding, patient repositioning slings, equipment, air-assisted transfer mats, OR tables
- Built for turning and repositioning protocols for patients up to 300 lbs.



Air transfer mat protection



Operating room table protection



LIGHT LIFT



300 lb. Weight Capacity

A portable, foldable, lightweight lift from EZ Way that is able to complete vehicle transfers, transfers off the floor, as well as standard bed to chair, stretcher, or wheelchair transfers.

Perfect for:

- **Traveling**
- Situations where storage is a concern
- Getting into or out of a vehicle
- Standard lift use within an institution or home

Special Features:

- Lightweight aluminum frame, able to fold for easy storage when space is a premium
- Lift can be quickly broken down into 3 lightweight pieces for trunk storage
- Durable, easy-to-use sling uniquely designed for safe, efficient transfers
- Designed for ease of use by one caregiver





- Most versatile vehicle lift on the market. Able to extract front seat AND back seat patients up to 500 lbs.
- Wide, stable base that will accommodate various wheel well configurations
- Telescoping mast designed to work with tall trucks or short cars
- Extended boom is able to reach into the back of vehicles for easy lifting
- Moveable, locking mast allows for the flexibility needed to work with a variety of vehicle door styles
- Single hand control for easy operation of the telescoping mast and patient transferring cable
- Durable, easy to use sling designed for safe, efficient transfers




500 lb. Weight Capacity





450 lb. Weight Capacity



The Stand Aid is a transfer assist unit which keeps residents active and engaged in the lifting process. Transfers are quick and require minimal caregiver assistance. Users simply grasp the middle bar and pull themselves up. A padded split seat swings out for loading or unloading and then swings back to form a comfortable, secure seat for transport. It is an excellent alternative to a wheelchair for easier commode access.

Special Features:

- Dual knee pads for security and comfort
- Sturdy, yet easily fits through narrow doorways
- Affordable alternative to electric standing aids
- Moveable base legs for flexibility in accommodating seating surfaces
- Promotes mobility for the patient
- Automatic seat locks
- Provides a time and cost saving tool for safe, efficient transfers

Optional:

- Support belt helps support lower torso
- Sliding belt facilitates movement from sitting to standing; available in Medium and Large

BMAT

BMAT









EZ WAY LIFT & STAND ACCESSORIES CHECKLIST

| STYLE | STYLE FABRIC | | | | | | | | | | C | PTION | S | | | APPLICATIONS | | | | | | | | | | | | | |
|---------------------------------|--------------|---------------------|----------|---------------------------|-------|-------------------------|--------------------|------------------|--------|-------------------|-----------------|---------------|------------------|------------|---------------|-----------------------|--------------------|---------|-----------|-------------------------------------|----------------------|----------------------------|-----------------------|-----------------------------|---------------|---------|------------|-----------------------|-------|
| Туре | | /ashable Canvas) | Wipeable | Single- Patient Use | Mesh* | Neoprene (Anti-Slip) | Anti- microbial | Spacer Fabric | Belted | Toileting Hole | Head Support | Black Mesh | Fleece Lining | Kit w/bars | Leg Straps | Standard Transfers | Pivot Transfers | Amputee | Toileting | Additional Lower Body Support | Hip Stabilization | Cleaning/ Catherization | Non-Crossing of Sling | Larger Lower Extremeties | Repositioning | Turning | Ambulation | Vehicle Extraction | Other |
| Regular Sling leg padding) | (No | • | | • | • | | • | | | | | | | | | • | | | • | | | | | | | | | | |
| Deluxe Slina | | | • | | | | • | | | | | | | | | | | | | | | | | | | | | | |
| (Padded legs) Multi- | | | | | | | _ | | | | _ | | | | | | | | | | | | | | | | | | |
| Purpose Sling | | | | | | | | | | | | | | | | | | | _ | | | | | | | | | | |
| Hourglass Slir | ng | | - | | | | | | | | | | | | | | | | | _ | | | | - | | • | | | |
| Hip Sling | | | | | | | | | | | | | | | | | | | | | | | • | | | | | | |
| Stretcher Slin | | • | • | | • | | | | | | | | | • | | | | | | | • | | | | | | | | |
| Child's Deluxe Sling | | • | • | | • | | | | | | • | | | | | • | | | • | | | | | | | | | | |
| Turning/ Repos tioning Sheet | si- | • | | | • | | | | | • | | | | | | | | | | | | | | | • | | | | 1 |
| Twin Turner S | ling | | | | • | | | | | | | • | | | | | | | | | | • | | | • | • | | | |
| Hygiene Sling | | | | | • | | | | • | | | | | | | | | | • | | | | | | | | | | |
| Full-Body w/L Support Sling | .eg | • | • | | • | | | | | | | | | | | | | | | • | • | | | | | | | | |
| EZOUT Sling | | | • | | | | | | | | | | | | | | | | | | | | | | | | | • | |
| EZ Light Lift S | Sling | • | | | | | | | | | | | | | | | | | | | | | | | | | | • | |
| Walking | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Harness Limb Turning/ | Lift- | | | | | | | | | | | | | | | | | | | | | • | | | | • | | | |
| ing Strap Kit | · | _ | | | | | | | | | | | | | | | | | | | | _ | | | | | | | |
| Limb Lifting S | | | | • | | | | | | | | | | | | | | | | | | • | | | | | | | |
| Gait Traning S | | | | | | | • | | | | | | | | | | | | | | | | | | | | | | _ |
| Load Testing Slin | ing | | • | | | | | | | | | | | | | | | | | | | | | | | | | | 4 |
| Harness | | | | | | | • | | | | | | | | | | | | | | | | | | | | | | |
| Seat Strap | | | • | | | | | | | | | | | | | • | | | | | | | | | | | | | |
| Stand Support Strap | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 |
| Chest Strap | | | • | | | | | | | | | | | | | | • | | | | | | | | | | • | | 2 |
| Walker Handle | es | | • | | | | | | | | | | | | | | | | | | | | | | | | • | | |
| Half Shin Pad | | | | | | | | | | | | | | | | • | • | • | | | | | | • | | | | | 3 |
| Bariatric Shin | Pad | | • | | | | | | | | | | | | | • | • | • | | | | | | • | | | | | |
| Bariatric Foot Plate | | | | | | | | | | | | | | | | • | • | | | | | | | • | | | | | |
| Wrist Strap | | • | | | | | | | | | | | | | | • | • | | | | | | | • | | | | | |
| Flexible Fabrio | С | | • | | | | | | | | | | | | | • | | • | | | | | | • | | | | | |

^{*} Excellent for bathing purposes Please consult your EZ Way Territory Sales Manager on compatible options **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov.

^{1 -} Use with bed pan 2 - Frame support & Standing Therapy 3 - Use with leg cast / rehab 4 - Use with Stand or Lift (not for use on patients / residents)





BELTED MESH HYGIENE SLING

An effective toileting sling for those with upper body strength and torso control. Small to XXL.



WIPEABLE SLING

Acrylic material allows the harness to be cleaned with a standard saniwipe. Small to XXXXL. Available in several styles. Please see *Accessories Checklist*.



HIP SLING

Supine transfer sling that is useful for non-hip-flexture transfers. Mesh, wipeable, and XXXL are available.



MESH SLING

Used for bathing and air circulation. Small to XL.



STANDARD DELUXE SLING

Double-box stitched for added safety, padded legs, and made of a durable polyester material with polyester webbing. Small to XXXXI.



DISPOSABLE SLING

Single-patient use for infection control. Small to XXL, with and without head support. Available in several styles. Please see *Accessories Checklist*.



HOURGLASS SLING

Hourglass-shaped sling for maximum comfort. Small to XXL and with optional mesh material, toileting hole, and spacer fabric for improved air flow.



MESH DELUXE SLING

Mesh sling with padded legs. Small to XXL.



HEAD SUPPORT OPTION

Option on a variety of slings from Small to XXXL.



FULL BODY SLING WITH LEG SUPPORT

Designed for transfers requiring additional leg support while in a seated or semi-supine position. Medium to XL. Also available in spacer fabric for improved air flow.



CHILD'S DELUXE SLING

Double-box stitched for added safety, padded legs, and made of a durable polyester material with polyester webbing. Small & Medium.



GAIT TRAINING SLING

Assistive design can be used in rehabilitative and gait training environments. Made of comfortable, yet durable, anti-microbial fabric. Small to XXL.



LIMB LIFTING AND TURNING STRAPS

Used to turn patients and lift limbs. Small to XXXL, washable, single-patient use and wipeable material available.



STRETCHER SLING KIT

For supine transfers or repositioning. 450 lb. and 750 lb. weight capacities available.



ANTIMICROBIAL FABRIC

Designed for healthcare, and to resist bacterial growth. Available in a variety of sling and harness styles.



MULTI-PURPOSE AMPUTEE SLING

Can be used for amputees or patients with larger lower extremities. Small to XXXL with or without head support. Available in several styles. Please see *Accessories Checklist*.



LOAD TESTING SLING

Allows service techs to use common bagged materials as weight to perform recommended load test.



WALKER HANDLES


Used for ambulation and standing support (standard and 'long' versions) with the Smart Stand TM .





STANDARD HARNESS

Our most popular harness. Made from polyester and polypropylene. Double box stitched, safety belt, and padded arm wings. Small - XXXL.



SEAT STRAP

For added safety and patient peace of mind. Regular and Large sizes, with or without wipeable material.



HALF SHIN PAD

Useful for patients with one immobile leg. Reversible for left or right side. Regular and Bariatric sizes.



ANTI-SLIP HARNESS

Neoprene material grips to help harness stay in place. Small to XXL.



control. Medium to XL.




WIPEABLE HARNESS

Acryllic material allows the harness to be cleaned with a standard sani-wipe. Small to XXXL.



WALKING HARNESS

For rehabilitation, lift assist, and gait training. For use with Ceiling Lifts and 1,000 lb. Smart Lift™ ONLY. Small to XXL.



STAND SUPPORT STRAP

Provides vertical standing assistance and support. Small to Large sizes, with or without wipeable material.



WRIST STRAP

Useful for when an arm may be immobile from a stroke.



BATTERY AND CHARGER The Smart Lift[™] and Smart Stand[™] Battery and Charger.



LITHIUM BATTERY PACK Replacement for Smart Lift™ and Smart Stand[™] lead acid battery. Longer life, lighter weight and more lifts per charge.



IV POLE / OXYGEN TANK **HOLDER** Available for most Smart Stand™


models.



TWIN TURNER This sling, designed for use with a ceiling lift or mobile lift, is used for turning a patient onto their side. Great for pericare.



FLEXIBLE SHIN PAD Pliable fabric shin pad provides greater comfort for a variety of skin conditions. Optional on the Smart Stand™.



BARIATRIC FOOTPLATE Larger size footplate for Bariatric Smart Stand™.

The EZ Way Safe Patient Handling Evaluation and What It Can Do For You!

EZ Way Safe Patient Handling Evaluation process and outcomes:

- 1. Our team will work with on-site staff to conduct a comprehensive review to better understand your current patient transferring practices, equipment used, and specific needs.
- 2. The EZ Way team will analyze the data gathered from the evaluation and present you with a customized report providing a snapshot of your current safe patient handling practices, equipment in use, and any recommendations to improve your safe patient handling program.

The report will be accompanied by the following data to help you improve your program:

I. Program Explanation

- Purpose
- What is a No-Lift Program?
- **Benefits**
- On-line Resources
- **Equipment Descriptions**

- **II. Sample No-Lift Template Components**
- **III. Sample Policy Statement**
- IV. Follow-Up Patient Handling Practices Staff Survey
- V. Evaluation Report and Recommendations

EZ Way has developed this comprehensive evaluation to help you improve your safe patient handling program and the quality of life for patient and caregiver; all at no extra cost.

Call EZ Way at 800-627-8940 to schedule a FREE evaluation.

BATTERY-OPERATED SHOWER CHAIR



The EZ1000 is designed to offer a safe experience for the patient thanks to stability, easy access during transfer and showering, and smooth height and tilt adjustments.

- Offers a dignified environment for both patient and caregiver
- Height adjustable and can be tilted backward and forward for individual comfort
- · Easy-to-use hand control for height adjustment and tilting
- Chair can be tilted to shower patient's hair and then adjusted to shower their feet
- Shaped grip knob armrests provide additional comfort
- Headrest offers support when reclining
- Fits over most toilets for clean, easy toileting
- · Optional bedpan accessory can be inserted under chair seat



440 lb. Weight Capacity

Standard With EZ1000



BEDPAN WITH LID



FOOTREST



CHEST SAFETY BELT



RECHARGEABLE
LITHIUM ION BATTERY

Optional EZ1000 Accessory



GEL CUSHION

DIGNITY HEIGHT ADJUSTABLE RECLINING SHOWER CHAIR



A cost-effective, height-adjustable hygiene chair made with durable materials. Available in Hydraulic or Electric*.

- Height adjustable, Hydraulic or Electric*
- · Adjustable PUR headrest for patient comfort
- Tilting adjustment
- Swinging armrests enable easy side transfer
- · Soft PUR seat, back & leg support
- 5" hospital grade swivelling and locking casters for secure transfers
- Height adjustable & removable footrests
- Seat with hygiene opening
- Commode pan included
- · Five-year warranty on frame

*Electric requires special order



330 lb. Weight Capacity


DIGNITY RECLINING SHOWER CHAIR



330 lb. Weight Capacity

Smooth reclining adjustment supports ease in showering.

The same great features as the Height Adjustable Reclining Shower Chair, but at a fixed height.





DIGNITY CLASSIC SHOWER CHAIR



290 lb. Weight Capacity

Comfortable for the patient, easy to clean, disinfect and maintain, attractive and durable.

- Ergonomically shaped backrest with integrated grip
- Swinging armrests enable easy side transfer
- Upholstered PUR seat with hygiene opening (available in rear or in front)
- Commode pan included
- Height adjustable, swinging, detachable foot support
- 5" hospital grade swivelling and locking casters for secure transfers
- Ready to clean in just 20 seconds

DIGNITY BARIATRIC SHOWER CHAIR



- Aluminium back with PUR backrest
- Swinging armrests enable easy side transfers
- Upholstered PUR seat with hygiene opening
- Commode pan included
- Height adjustable, swinging, detachable foot support
- 5" hospital grade swivelling and 2 locking casters for secure transfers
- · Ready to clean in just 20 seconds



DIGNITY CLASSIC COMMODE CHAIR



- · Ergonomically shaped backrest with integrated hand grip
- Swinging armrests enable easy side transfers
- Soft and durable polyurethane seat cover
- Height adjustable and removable foot rests
- 5" hospital grade swiveling and locking casters for secure transfers
- Polyamide nylon construction
- · Commode pan included
- Ready to clean in just 20 seconds
- 5-year warranty on frame



290 lb. Weight Capacity

2000-V21/3000-V21 **SHOWER TROLLEY**



2000-V21 - Hydraulic - Foot Operated 440 lb. Weight Capacity 3000-V21 - Battery Operated 440 lb. Weight Capacity

Side-mounted column allows trolley to overlap bed so residents are safely and gently transferred without heavy lifting.

- Easy access to controls for height adjustment, tilt, caster brakes, and steering
- Foot controls for hands-free height adjustment
- Drains at both ends allow the resident to be placed in either direction
- Stretcher allows Trendelenburg positioning in either direction
- Large casters make the trolley easy to steer and maneuver
- Mattress is removable for easy cleaning
- The chassis is made of powder-coated, stainless and zincplated steel for a rust-free appearance throughout the life of the trolley

3200 SHOWER TROLLEY

Multi-tasking shower trolley with endless application possibilities

- Battery operated shower trolley is unique with its side mounted column, allowing the trolley stretcher to overlap the bed for a safe and easy resident transfer
- Great solution to prevent back injuries, minimize static load, and offers a safe and ergonomic working environment for the caregiver
- The trolley assists and functions at the bed side allowing a safe patient transfer onto the trolley



3200 - Battery Operated 440 lb. Weight Capacity

4000/4200 ATLAS BARIATRIC SHOWER TROLLEYS



4000 - Battery Operated **1,000 lb. Weight Capacity 4200** - Battery Operated **600 lb. Weight Capacity**

The EZ 4000/4200 Atlas Bariatric Multi-Tasking Shower Trolley is designed for lots of power and loads of space.

- · Dual lifting columns provide for higher weight capacity
- Larger mattress for ease of care
- Easy-to-use hand control for height and tilt adjustment
- Central foot-operated caster brakes and straight steering
- Head rail can be lowered for extra length
- Stretcher allows Trendelenburg positioning in either direction
- · Large casters make the trolley easy to steer and maneuver
- The chassis is made of powder-coated, stainless and zincplated steel for a rust-free appearance throughout the life of the trolley

COMFORTLINE



330 lb. Weight Capacity


The Comfortline is a free-standing, height-adjustable bathtub designed for a satisfying and relaxing bathing experience. Attendants will benefit from the Comfortline's ergonomic design and efficient bathing cycle. Simple installation of the Comfortline allows it to be positioned in almost any central bathing area.

- Free-standing, height-adjustable bathtub
- Accessible from three sides
- Innovative and attractive design
- Includes hand shower with long hose
- Compact design for easy placement
- Optional: Adjustable air spa provides a relaxing bathing experience
- Optional: Integrated cleaning system makes the tub easy to clean and maintain
- Optional: LED lighting and music sound wave system



ECOLINE





- Easy to operate and learn
- Easy access to the bathtub from three sides
- Compact design for easy placement
- Ergonomic tub shape
- Easy to clean and maintain
- Suitable for mobile transfers (EZ Mobile Bath Lift System is recommended)
- Detached, no wall or floor fixing
- Stainless steel, fixed-height legs
- Optional: Cleaning/disinfection system
- Optional: Air spa system with integrated jets at bottom of tub



330 lb. Weight Capacity



900 HEIGHT-ADJUSTABLE BATHTUB



330 lb. Weight Capacity

The friendly-functional design of the EZ 900 integrated bathtub and panel makes it simple and convenient to operate.

- Smooth, soft design makes the tub easy to clean and maintain
- Extra width at the head end allows more space for arms and shoulders
- Whirlpool option improves the resident's well-being by stimulating circulation and assists in washing the resident
- · Cleaning system with safety on/off key is out of reach to avoid improper use
- Unique whirlpool inlet cleaning adapter makes disinfecting a snap
- Fingertip controls for height adjustment and whirlpool system
- Optional auto-fill for staff efficiency
- Optional Stainless Steel for burn care

Accessories:

- Foot Rest
- Head Pillow

1700 HEIGHT-ADJUSTABLE BATHTUB



330 lb. Weight Capacity

The EZ 1700 was specifically designed to optimize your small space without sacrificing functionality and efficiency.

- Height-adjustable bathtub optimized for small spaces
- Clearance below the tub allows the use of many different lifts
- Easy-to-use hand control for height adjustment
- Shower hose included
- Factory-mounted thermostat regulates water temperature



2810 SHOWER PANEL



The 2810 is a shower panel with thermostatic mixing valve and a separate cleaning system. Pairing it with EZ Way shower trolleys creates a complete shower system that is comfortable, safe and hygienic for both resident and attendant.

- Easy to operate
- Intergrated hygienic and safe cleaning system for easy cleaning of equipment
- Built in bottle for cleaning detergent which are automatically mixed with cold water in the cleaning system
- Mechanical lock for cleaning detergent bottle
- Thermostatic mixer
- Valve for patient shower
- Shower spray handle
- Patient shower hose white
- Safety valve for equipment cleaning
- Cleaning spray handle. NOTE: Never to be used on patients
- · Cleaning shower hose yellow
- Cleaning detergent filling
- Cleaning flow setting valve inside panel

ATLANTIC RECLINING BATHING SYSTEM



450 lb. Weight Capacity

The RR7-II Atlantic is designed for healthcare facilities looking for a more time efficient and labor-saving bathing solution.

- Unique tilting function allows residents with challenging conditions to recline in a contoured seat and become immersed in warm water
- At only 24 gallons to pre-fill the footwell, water usage and the associated costs are greatly reduced
- Three plumbing configurations to choose from: front, side, or island
- Built-in Disinfection System
- Optional AutoFill eliminates waiting and/or observation time by pre-filling the bathtub to a preset level
- Battery Back-up
- Optional CleanRane[™] Air Spa System with variable speeds that enhance the therapeutic and relaxing effects of bathing for the user



VICTORIA FREESTANDING BATHING SYSTEM



350 lb. Weight Capacity

The RG9 Victoria is a freestanding tub that allows the caregiver 360° unobstructed access to the resident.

- Freestanding tub that allows the caregiver 360° unobstructed access to the resident
- Low threshold and wide side-entry door allows easy access for residents with various degrees of mobility
- Specifically designed for use with the RL9 Bath Lift to provide seamless transfers from bed to bath in a comfortable, safe seated position
- Built-in Disinfection System
- Optionional CleanRane[™] Air Spa System with variable speeds that enhance the therapeutic and relaxing effects of bathing for the user



Built-in **Safety** Latch



Shower Wand



Built-in **Disinfection**System

ERIE FREESTANDING BATHING SYSTEM



600 lb. Weight Capacity

The RK12E Erie is a freestanding tub that allows the caregiver 360° unobstructed access to the resident.

- Freestanding tub that allows the caregiver 360° unobstructed access to the resident
- Low threshold and wide side-entry door allows easy access for residents with various degrees of mobility
- The valves can be positioned in 2 different locations; on the side or on the front
- Optionional CleanRane[™] Air Spa System with variable speeds that enhance the therapeutic and relaxing effects of bathing for the user



Side Valve



Key Lock Design

CASPIAN BARIATRIC BATHING SYSTEM



their larger residents. Featuring a full range of standard and optional features, the RB14-IM Caspian is designed to enhance the bathing experience for the resident.

Caregivers will enjoy the RB14-IM Caspian for its ease of use and the improved quality of care they can provide for

- The low threshold side-entry door allows easy access for larger residents with various degrees of mobility
- The extra-wide built-in contoured seat allows the larger resident to sit comfortably and safely in a slightly reclined position
- Designed to be installed against a wall, allowing the caregiver access to the resident from 3 sides
- Built-in disinfection system cabinet is conveniently located on the front side of the tub for easy access. The lockable cabinet provides a secure place for cleaning supplies and disinfectants.
- Handheld shower wand

600 lb. Weight Capacity

WINNIPEG FREESTANDING BATHING SYSTEM



400 lb. Weight Capacity

The RK12 Winnipeg is a freestanding tub that allows the caregiver 360° unobstructed access when bathing a resident.

- Thermostatic Mixing Valve with anti-scald protection that dispenses 15 gallons per minute for fast tub fill.
- Built-in Disinfection System for disinfection of the bath's external surfaces minimizes the risk of cross-infection.
- Handheld Shower Wand for hair and upper body washing, which can be used at the same time the tub is filling.
- Analog Thermometer for monitoring tub-fill and showerwand temperatures.
- Lap and Shoulder Harness for resident safety.
- Secondary Door Lock to prevent accidental door opening when in use.



Front & Side Valve layout available



Easy to use Control Panel

GENEVA SUPINE BATHING SYSTEM



The RS8 Geneva is designed to bathe highly dependent residents safely and comfortably and is compatible with a wide range of transport and lifting devices.

- Designed to bathe highly dependent residents safely and comfortably. Compatible with a wide range of transport and lifting devices
- Key-hole shape enhances patient comfort with extra room for the shoulders and arms, while allowing the caregiver closer and greater access to bathe the resident
- Optional height adjustable model is raised or lowered at the touch of a button allowing the caregiver to work at the proper height and eliminate back strain
- The optional Auto-fill eliminates waiting and/or observation time by pre-filling the bathtub to a pre-set level
- Optional Battery Back-up (on height adjustable model)



600 lb. Weight Capacity

MOBILE BATH LIFT SYSTEM

The Mobile Bath Lift System is designed to easily convert into different configurations to accommodate a wide variety of needs for patients and residents in both the acute and long-term care environments.

- Move residents from bed to bath without any manual lifting
- Universal design works with all tubs
- Converts from stretcher to chair lift in less than one minute
- Padded seating surfaces ensure a pleasant bathing experience
- Resident can be toileted without leaving the security of the chair
- Removable pads make cleaning easy
- Stainless steel frame ensures a rust-free appearance throughout the life of the lift








330 lb. Weight Capacity

Optional Narrow Base Design





Attachable Stretcher Side Parts



Commode Seat



EZ Way, Inc.

EZ Way's 3 Q's

Quality of Life

EZ Way improves your quality of life by helping you transfer your patients and residents in a safe and dignified manner while protecting your caregivers from the injuries that occur from manual lifting.

Quality Equipment

- US manufactured and built to last
- Lowest Total Cost of Ownership in the market
- Highest Bariatric Weight Capacities in the industry
 - Up to 1,000 lb. capacity Floor and Ceiling Lifts
 - Up to 800 lb. capacity Sit-To-Stands

Quality Service

- Highly trained Safe Patient Handling Specialists
- Free Equipment Training, Demonstrations, and Trials
- Comprehensive Evaluations to ensure you have the correct safe patient handling solutions
- 24-Hour Service Hotline

www.ezlifts.com

PO Box 89, 710 E. Main • Clarinda, IA 51632 1-800-627-8940



EZ Resources





facebook.com/ezlifts/



linkedin.com/company/ez-way-inc-

